



Building Department

WINDOW / DOOR INSTALLATIONS

PER FLORIDA BUILDING CODE 7TH EDITION (2020) ENERGY CONSERVATION- C402.4/R402.1.2

ALL WINDOW/DOOR INSTALLATIONS ON RENOVATED BUILDINGS MUST MEET THE REQUIREMENTS OF THE FLORIDA ENERGY CONSERVATION CODE

U-FACTOR


RESIDENTIAL NON-IMPACT WINDOWS/DOORS WITH GLAZING	MUST BE EQUAL OR LESS THAN .40
RESIDENTIAL IMPACT WINDOWS/DOORS WITH GLAZING	MUST BE EQUAL OR LESS THAN .65
COMMERCIAL FIXED WINDOWS	MUST BE EQUAL OR LESS THAN .50
COMMERCIAL OPERABLE WINDOWS	MUST BE EQUAL OR LESS THAN .65
COMMERCIAL DOORS WITH GLAZING	MUST BE EQUAL OR LESS THAN .83

SOLAR HEAT GAIN COEFFICIENT (SHGC)

RESIDENTIAL - WINDOWS/DOORS WITH GLAZING	MUST BE EQUAL OR LESS THEN .25
COMMERCIAL- WINDOWS/DOORS WITH GLAZING	SEE TABLE C402.4

A COPY OF THE ENERGY PERFORMANCE RATING STICKER FOR YOUR PRODUCTS– MUST BE SUBMITTED WITH YOUR PRODUCT APPROVALS AND THE ACTUAL STICKER/LABEL MUST BE ON SITE FOR INSPECTION.

See below sample



HOW MANY STORIES _____ MULTI-FAMILY no _____ yes _____

I certify that the Energy Performance Rating Information submitted is for the product being installed and I accept full responsibility for the installation.

Printed Name

Authorized Signature

Date